

Technical Data Sheet



Willamette Valley Company

www.wilvaco.com

800.333.9826

Partnering through
service, innovation, and
integrity

WESTERN DIVISION

660 McKinley Street
Eugene OR 97402
Tel. 800.333.9826

EASTERN DIVISION

6662 Marbut Road
Lithonia GA 30058
Tel. 888.878.9826

MIDWEST DIVISION

1549 Hwy 2
Two Harbors MN 55616
Tel. 218 834 3922

SOUTHERN DIVISION

100 Dixie Mae Drive
Pineville LA 71361
Tel. 800 444 9826

Wil-Spray 500

Spray Adhesive

DESCRIPTION

Willamette Valley Company has formulated a multipurpose, latex-based, spray-applied adhesive without toxic smells, fumes or unhealthy side effects when used with appropriate safe handling and personal protection measures. It works great for surface area applications and adhering/mounting lightweight materials.

WHAT IT ADHERES

- Paper, Glass, Wood, Poster Board, Cardboard
- Photos, Foil, Vinyl, Foam, Styrofoam, Plastic
- Felt, Rubber, Leather, Metals
- Medium to Heavy-Weight Fabrics

FEATURES AND BENEFITS

- Easy Spray Application
- Environmentally Sound
- Easy Clean Up

PACKAGING

5-gallon pails (18.9 L)
Drums

SHELF LIFE

12 months when properly stored.

STORAGE

Store this product in a clean, dry, shaded or covered environment above 40°F (4°C). DO NOT FREEZE.

TECHNICAL INFORMATION

TYPICAL PROPERTIES

Wt./gal. (g/mL)	8.66 (1.04)
Color	Translucent White
VOC, percent	4
pH	4 – 5
Solvent	None
Flammability	No
Viscosity	< 500 cps
Water Resistance in Cured Adhesive	Good
UV Resistance in Cured Adhesive	Adequate
Odor	Odorless
Flexible	Yes
Freeze/Thaw Stable	Stable
Dry Time	Varies by material being adhered

APPLICATION

Best applied between 30 – 150°F (-1 – 65°C).

1. Agitate or stir vigorously before using
2. Protect surrounding area from over spray
3. Hold sprayer 8-10 inches from surface
4. Paper, photos, poster/cardboard and foil – spray a thin, light coat to one surface. Join materials and continue to apply pressure. Hold 1-3 minutes.
5. Porous materials like foam and Styrofoam – spray a heavy coat on both surfaces to be joined. Mate surfaces together. Allow to dry.
6. Non-Porous surfaces – Spray a light coat to one surface. Mate surfaces together. Allow to dry
7. Rinse spray nozzle and equipment after each use until water runs clear

CLEAN-UP

Use warm to hot water to clean off surfaces before the adhesive dries. After drying, scrubbing and/or mechanical removal may be required.

NOTES

This product is supplied to the customer in a ready-to-use form. Do not dilute the product as that will compromise the strength and other physical properties.

HEALTH AND SAFETY

Before handling, you should become familiar with the Safety Data Sheet (SDS) regarding the risks and safe use of this product. To obtain an SDS please call 800-333-9826 or send an email to: msds@wilvaco.com.

CONTACT INFORMATION

Please see the side bar on the front page for the Division nearest to your location.

WILLAMETTE VALLEY COMPANY

www.wilvaco.com
info@wilvaco.com

OTHER DIVISIONS

PERFORMANCE COATINGS

1075 Arrowsmith Street
PO Box 2280
Eugene, OR 97402
Tel 541.484.9621
www.polyquik.com
www.wcorailroad.com

PRECISION TECHNOLOGIES DIVISION

675 McKinley Street
Eugene, OR 97402
Tel 541.484.2368
www.pre-tec.com

CANADIAN DIVISION SURREY BRANCH

19081- 27 Avenue
Surrey BC V3S 5T1
Tel. 800.663.4298

SUBSIDIARIES

ECLECTIC PRODUCTS INC.

Corporate Office
1075 Arrowsmith Street
Eugene, OR 97402
Tel 541.284.4667
www.eclecticproducts.com

IDAHO MILL & GRAIN

445 North 430 West Hwy
PO Box 188
Malad City, Idaho 83252
Tel 208.766.2206

TAPEL WILLAMETTE LTD. S.A.

Av. Estero La Posada 3625
Parque Industrial Coronel
Coronel, Chile
Tel 011.56.41.2 928.100
www.tapel.cl



DISCLAIMER OF WARRANTY

TEST RESULTS ARE TO BE CONSIDERED AS REPRESENTATIVE OF CURRENT PRODUCTION AND SHOULD NOT BE TREATED AS SPECIFICATIONS. WHILE ALL THE INFORMATION PRESENTED IN THIS DOCUMENT IS BELIEVED TO BE RELIABLE AND TO REPRESENT THE BEST AVAILABLE DATA ON THESE PRODUCTS, NO GUARANTEE, WARRANTY, OR REPRESENTATION IS MADE, INTENDED, OR IMPLIED AS TO THE CORRECTNESS OR SUFFICIENCY OF ANY INFORMATION, OR AS TO THE SUITABILITY OF ANY CHEMICAL COMPOUNDS FOR ANY PARTICULAR USE, OR THAT ANY CHEMICAL COMPOUNDS OR USE THEREOF ARE NOT SUBJECT TO A CLAIM BY A THIRD PARTY FOR INFRINGEMENT OF ANY PATENT OR OTHER INTELLECTUAL PROPERTY RIGHT. EACH USER SHOULD CONDUCT A SUFFICIENT INVESTIGATION TO ESTABLISH THE SUITABILITY OF ANY PRODUCT FOR ITS INTENDED USE.

W07-R&D-TDS-034

REV 00

Revision Date: April 2016