

# Technical Data Sheet



**W V C O**

Willamette Valley Company

www.wilvaco.com

800.333.9826

Partnering through service,  
innovation, and integrity

#### WESTERN DIVISION

660 McKinley Street  
Eugene OR 97402  
Tel. 800.333.9826

#### EASTERN DIVISION

6662 Marbut Road  
Lithonia GA 30058  
Tel. 888.878.9826

#### MIDWEST DIVISION

1549 Hwy 2  
Two Harbors MN 55616  
Tel. 218 834 3922

#### SOUTHERN DIVISION

100 Dixie Mae Drive  
Pineville LA 71361  
Tel. 800 444 9826

# Wil-Prime SP-1128 White

## Interior Primer – High Hiding

### DESCRIPTION

Wil-Prime SP-1128 White is a water-based 100% acrylic, low VOC, interior grade primer. It is formulated to achieve a smooth, bright finish with excellent hide. Wil-Prime SP-1128 White has excellent adhesion properties, and accepts most water-based and alkyd top coats very well.

### WHERE TO USE

- MDF and Solid Wood Moulding
- Door Jambs
- Door skins

### FEATURES AND BENEFITS

- High-Hiding Primer
- Accepts Any Latex Paint
- Strong Adhesive Bond with Latex Paint
- Clean White Color
- Low VOC

### PACKAGING

Drums  
Totes  
Tank Truck

### SHELF LIFE

3 to 6 months when properly stored.

### STORAGE

Store this product in a clean, dry, shaded or covered environment above 45°F (7.2°C). DO NOT FREEZE.

## TECHNICAL INFORMATION

### TYPICAL PROPERTIES

Percent Solids by wt.	68%
Viscosity, Brookfield cps #3 spindle @ 50 RPM, 77°F (25°C)	210
Weight / Gallon, lbs./gallon (Kg / L)	13.6 (1.63)
Spread Rate @ 4 wet mils, ft <sup>2</sup> / gallon (m <sup>2</sup> / L)	400 (9.8)
Color	White

### APPLICATION

Apply Wil-Prime SP-1128 White by airless spray, at a minimum application rate of 4 wet mils. Primer must be dried completely before stacking and/or top coat application. For other types of application methods check with your Willamette Valley Company representative for directions and recommendation for use.

Primer coating can be dried with conventional air, forced hot air or IR.

### CLEAN-UP

Clean equipment before paint dries completely. If the paint has dried, hot water, detergent and scrubbing will be required.

### NOTES

This product is supplied to the customer in a ready-to-use form. Any addition of water to reduce viscosity may result in degradation of the product performance.

---

### HEALTH AND SAFETY

---

Before handling, you should become familiar with the Material Safety Data Sheet (MSDS) regarding the risks and safe use of this product. To obtain an MSDS please call 800 333 9826 or send an email to: [msds@wilvaco.com](mailto:msds@wilvaco.com).

---

### CONTACT INFORMATION

---

Please see the side bar on the front page for the Division nearest to your location.

#### **WILLAMETTE VALLEY COMPANY**

[www.wilvaco.com](http://www.wilvaco.com)  
[info@wilvaco.com](mailto:info@wilvaco.com)

#### **OTHER DIVISIONS**

##### **PERFORMANCE COATINGS**

1075 Arrowsmith Street  
PO Box 2280  
Eugene, OR 97402  
Tel 541.484.9621  
[www.polyquik.com](http://www.polyquik.com)  
[www.wvcorailroad.com](http://www.wvcorailroad.com)

##### **PRECISION TECHNOLOGIES DIVISION**

675 McKinley Street  
Eugene, OR 97402  
Tel 541.484.2368  
[www.pre-tec.com](http://www.pre-tec.com)

#### **SUBSIDIARIES**

##### **CANADIAN WILLAMETTE**

19081- 27<sup>th</sup> Avenue  
Surrey BC V3S 5T1  
Tel. 800.663.4298

##### **ECLECTIC PRODUCTS INC.**

Corporate Office  
1075 Arrowsmith Street  
Eugene, OR 97402  
Tel 541.284.4667  
[www.eclecticproducts.com](http://www.eclecticproducts.com)

##### **IDAHO MILL & GRAIN**

445 North 430 West Hwy  
Po Box 188  
Malad City, Idaho 83252  
Tel 208.766.2206

##### **TAPEL WILLAMETTE LTD. S.A.**

Av. Estero La Posada 3625  
Parque Industrial Coronel  
Coronel, Chile  
Tel 011.56.41.2 928.100  
[www.tapel.cl](http://www.tapel.cl)

---

#### **DISCLAIMER OF WARRANTY**

TEST RESULTS ARE TO BE CONSIDERED AS REPRESENTATIVE OF CURRENT PRODUCTION AND SHOULD NOT BE TREATED AS SPECIFICATIONS. WHILE ALL THE INFORMATION PRESENTED IN THIS DOCUMENT IS BELIEVED TO BE RELIABLE AND TO REPRESENT THE BEST AVAILABLE DATA ON THESE PRODUCTS, NO GUARANTEE, WARRANTY, OR REPRESENTATION IS MADE, INTENDED, OR IMPLIED AS TO THE CORRECTNESS OR SUFFICIENCY OF ANY INFORMATION, OR AS TO THE SUITABILITY OF ANY CHEMICAL COMPOUNDS FOR ANY PARTICULAR USE, OR THAT ANY CHEMICAL COMPOUNDS OR USE THEREOF ARE NOT SUBJECT TO A CLAIM BY A THIRD PARTY FOR INFRINGEMENT OF ANY PATENT OR OTHER INTELLECTUAL PROPERTY RIGHT. EACH USER SHOULD CONDUCT A SUFFICIENT INVESTIGATION TO ESTABLISH THE SUITABILITY OF ANY PRODUCT FOR ITS INTENDED USE.



Revision: September 2012